

File 2:INSPEC 1969-2004/May W3  
(c) 2004 Institution of Electrical Engineers  
File 6:NTIS 1964-2004/May W4  
(c) 2004 NTIS, Intl Cpyrght All Rights Res  
File 8:Ei Compendex(R) 1970-2004/May W3  
(c) 2004 Elsevier Eng. Info. Inc.  
File 34:SciSearch(R) Cited Ref Sci 1990-2004/May W3  
(c) 2004 Inst for Sci Info  
File 35:Dissertation Abs Online 1861-2004/Apr  
(c) 2004 ProQuest Info&Learning  
File 65:Inside Conferences 1993-2004/May W4  
(c) 2004 BLDSC all rts. reserv.  
File 94:JICST-EPlus 1985-2004/May W1  
(c)2004 Japan Science and Tech Corp(JST)  
File 95:TEME-Technology & Management 1989-2004/May W2  
(c) 2004 FIZ TECHNIK  
File 99:Wilson Appl. Sci & Tech Abs 1983-2004/Apr  
(c) 2004 The HW Wilson Co.  
File 144:Pascal 1973-2004/May W3  
(c) 2004 INIST/CNRS  
File 233:Internet & Personal Comp. Abs. 1981-2003/Sep  
(c) 2003 EBSCO Pub.  
File 239:Mathsci 1940-2004/Jun  
(c) 2004 American Mathematical Society  
File 434:SciSearch(R) Cited Ref Sci 1974-1989/Dec  
(c) 1998 Inst for Sci Info  
File 583:Gale Group Globalbase(TM) 1986-2002/Dec 13  
(c) 2002 The Gale Group  
File 603:Newspaper Abstracts 1984-1988  
(c)2001 ProQuest Info&Learning  
File 483:Newspaper Abs Daily 1986-2004/May 21  
(c) 2004 ProQuest Info&Learning

Set	Items	Description
S1	2181	CABLE(3N) (MODEM OR MODULAT?()DEMOMULAT?)
S2	6522	(MULTIPLE OR SECTION? OR PORTION? OR PART OR PARTS OR SECT- OR?) (3N) (FRAMES OR FRAME)
S3	27008	PATTERN(3N)MATCH?
S4	495	ADDRESS(3N)SEGMENT?
S5	12234	VARIOUS(3N)LENGTH?
S6	2919	(BIT OR BYTE OR KILOBYTE? OR MEGABYTE?) (3N)LENGTH
S7	8586	WORD(3N) (LENGTH? OR SIZE)
S8	50320	(DATA OR VIDEO) (3N) (SIZE OR VOLUME)
S9	61327	MAC OR MEDIUM()ACCESS()CONTROL
S10	92319	IP OR INTENET()PROTOCOL?
S11	25129	PROTOCOL()IDENTIFIER? OR PID
S12	28534	MPEG OR MOVING()PICTURE()EXPERT()GROUP
S13	764	INDEX(3N) (ENTRY OR ENTRIES)
S14	43	MULTIMEDIA AND CABLE ()NETWORK()SYSTEM
S15	7057	AU=(BERNATH, B? OR GOLDENBERG, M? OR BROOKS, J? OR BERNATH B? OR GOLDENBERG M? OR BROOKS J?)
S16	112277	PROGRAMMABLE
S17	134300	(GENERAT? OR CREAT?) AND (INDEX OR INDICES OR TABLE?)
S18	3	S1 AND S16 AND S3:S12
S19	3	RD S18 (unique items)
S20	1859	S17 AND S3:S12
S21	1	S20 AND S1
S22	1	S21 NOT S18
S23	183	S17 AND S3
S24	5	S23 AND S4:S12
S25	5	S24 NOT (S21 OR S18)

S26	3	RD S25 (unique items)
S27	0	S1 AND S13
S28	3	S1 AND S17
S29	2	S28 NOT (S24 OR S21 OR S18)
S30	2	RD S29 (unique items)
S31	1	S15 AND S1
S32	0	S31 NOT (S28 OR S24 OR S21 OR S18)
S33	216	CONEXANT
S34	6	S33 AND S1
S35	462120	34 NOT (S28 OR S24 OR S21 OR S18)
S36	6	S34 NOT (S28 OR S24 OR S21 OR S18)
S37	6	RD S36 (unique items)
S38	8	S1 AND S14
S39	8	S38 NOT (S28 OR S24 OR S21 OR S18)
S40	6	RD S39 (unique items)

19/3,K/1 (Item 1 from file: 2)

DIALOG(R)File 2:INSPEC

(c) 2004 Institution of Electrical Engineers. All rts. reserv.

6993627 INSPEC Abstract Number: B2001-09-6220J-001

**Title:** Programmable **cable modems-an architecture to fit the future**

Author(s): Bernath, B.; Farina, L.

Journal: Elettronica Oggi no.302 p.118-22

Publisher: Gruppo Editoriale Jackson,

Publication Date: June 2001 Country of Publication: Italy

CODEN: ELOGDA ISSN: 0391-6391

SICI: 0391-6391(200106)302L:118:PCMA;1-H

Material Identity Number: E252-2001-007

Language: Italian

Subfile: B

Copyright 2001, IEE

**Title:** Programmable **cable modems-an architecture to fit the future**

...Abstract: the differences between the [US] DOCSIS standard and the European variants and their impact on **programmable** modem architecture. Details the principal **MAC** elements of the processor, coprocessor, memory and the direct memory access controller. Illustrates the structure...

...Descriptors: **programmable** circuits

Identifiers: **programmable cable modem** architecture...

... **MAC** element

19/3,K/2 (Item 2 from file: 2)

DIALOG(R)File 2:INSPEC

(c) 2004 Institution of Electrical Engineers. All rts. reserv.

6779810 INSPEC Abstract Number: B2001-01-6220J-005, C2001-01-5630-008

**Title:** Programmable **digital cable modems**

Journal: Elektronik Praxis no.21 p.66-70

Publisher: Vogel-Verlag,

Publication Date: 7 Nov. 2000 Country of Publication: Germany

CODEN: EKPXAM ISSN: 0341-5589

SICI: 0341-5589(20001107)21L:66:PDCM;1-S

Material Identity Number: E248-2000-021

Language: German

Subfile: B C

Copyright 2000, IEE

**Title:** Programmable **digital cable modems**

...Abstract: Euromodem specifications. Applications in set-top boxes and Internet voice applications with "Media Access Control" ( **MAC** ) are referred to. A block diagram of a **cable modem** is presented, using an embedded 32-bit RISC microprocessor. Anticipates that the embedded modem market...

19/3,K/3 (Item 1 from file: 95)

DIALOG(R)File 95:TEME-Technology & Management

(c) 2004 FIZ TECHNIK. All rts. reserv.

01506160 20010404277

**PLDs helfen Datenmengen schaufeln. Programmierbare Logik verkuerzt die Markteinfuehrung breitbandiger Kabel-Modems bei neuverabschiedeten Standards**

Won, MS; Cloonan, T  
Altera, San Jose, USA; Cadant, USA  
Elektronik, Poing, v50, n6, pp84-86, 2001  
Document type: journal article Language: German  
Record type: Abstract  
ISSN: 0013-5658

ABSTRACT:

...Herstellern und Geraeten sicherstellen soll. Mit neuen Infrastrukturen fuer die leistungsfaeheige Anbindung von Haushalten wie **Cable Modem** Termination System (CMTS) wurde auch eine neue DOCSIS-Spezifikation, die Version 1.1, entwickelt. Sie unterstuetzt unter anderem differenzierte Dienste und neue Applikationen wie die **IP** -basierende Telefonie, definiert eine Minimal-Konfiguration der Dienste-Qualitaet und erweitere Qualitaetsmerkmale. Es wird dargestellt...

...DESCRIPTORS: **PROGRAMMABLE** LOGIC ARRAY; CABLE TELEVISION; MODEMS; DATA TRANSMISSION; DATA SIGNALLING RATE; STANDARDS; SPECIFICATION

?

22/3,K/1 (Item 1 from file: 2)

DIALOG(R)File 2:INSPEC

(c) 2004 Institution of Electrical Engineers. All rts. reserv.

7437299 INSPEC Abstract Number: B2002-12-6150P-038, C2002-12-5640-050

**Title: Next generation routers**

Author(s): Chao, H.J.

Author Affiliation: Dept. of Electr. & Comput. Eng., Polytech. Univ.,  
Brooklyn, NY, USA

Journal: Proceedings of the IEEE vol.90, no.9 p.1518-58

Publisher: IEEE,

Publication Date: Sept. 2002 Country of Publication: USA

CODEN: IEEPAD ISSN: 0018-9219

SICI: 0018-9219(200209)90:9L.1518:NGR;1-X

Material Identity Number: P019-2002-010

U.S. Copyright Clearance Center Code: 0018-9219/02/\$17.00

Language: English

Subfile: B C

Copyright 2002, IEE

**Title: Next generation routers**

Abstract: As the broadband access technologies, such as DSL, **cable modem**, and gigabit Ethernet, are providing affordable broadband solutions to the Internet from home and the enterprise, it is required to build next **generation** routers with high-speed interfaces (e.g., 10 or 40 Gb/s) and large switching...

... constraint, packet arbitration bottleneck, and interconnection complexity. It then presents several algorithms/architectures to implement **IP** route lookup, packet classification, and switch fabrics. Some of the functions, such as packet classification...

... market, and reducing the implementation cost by avoiding the ASIC approach. Several proposed algorithms for **IP** route lookup and packet classification are compared in respect to their search/update speeds and...

... At the end, it outlines several challenging issues that remain to be researched for next **generation** routers.

...Descriptors: **table** lookup

...Identifiers: **cable modem** ; ...

...next **generation** routers...

... **IP** route lookup

?

26/3,K/1 (Item 1 from file: 8)

DIALOG(R)File 8:Ei Compendex(R)

(c) 2004 Elsevier Eng. Info. Inc. All rts. reserv.

05983823 E.I. No: EIP01056814887

**Title: A robust gross-to-fine pattern recognition system**

Author: Al-Mouhamed, M.

Corporate Source: Computer Engineering Department College of Computer Sci. and Eng. King Fahd Univ. of Petro./Minerals, Dhahran 31261, Saudi Arabia

Source: IEEE Transactions on Industrial Electronics v 48 n 6 December 2001. p 1226-1237

Publication Year: 2001

CODEN: ITIED6 ISSN: 0278-0046

Language: English

...Abstract: carry out an early pruning of a large portion of the models, hypotheses are only **generated** for a subset of contours with enough discriminative information. Poor scene contours are used later...

...results. We use a multidimensional hashing scheme with space separation between dense parameter areas to **create** additional hashing **tables**. The robustness of the recognition is based on engineering a coarse bucket size to the...

...matching system, the processing time essentially depends on scene complexity with a marginal dependence on **data** -base **size**. 25 Refs.

Descriptors: **Pattern** recognition systems; **Pattern** matching ; Image segmentation; Robustness (control systems); Spurious signal noise; Heuristic methods; Error analysis; Mathematical models

26/3,K/2 (Item 1 from file: 34)

DIALOG(R)File 34:SciSearch(R) Cited Ref Sci

(c) 2004 Inst for Sci Info. All rts. reserv.

02506993 Genuine Article#: LG262 No. References: 30

**Title: PATTERN-RECOGNITION IN DNA-SEQUENCES AND ITS APPLICATION TO CONSENSUS FOOT-PRINTING**

Author(s): LEFEVRE C; IKEDA JE

Corporate Source: TOKAI UNIV, SCH MED, JRDC, ERATO, GENOSPHERE PROJECT/ISEHARA/KANAGAWA 25911/JAPAN/

Journal: COMPUTER APPLICATIONS IN THE BIOSCIENCES, 1993, V9, N3 (JUN), P 349-354

ISSN: 0266-7061

Language: ENGLISH Document Type: ARTICLE (Abstract Available)

...Abstract: described. Multiple sequences are treated as one large concatenate. In a preprocessing step, a lexical **index** is **created** to provide rapid string matching for the enumeration of the words **matching** a **pattern**. For given **word** features ( **word** **length** , minimal frequency), a sequence profile is displayed. The profile can be inspected interactively with on...

26/3,K/3 (Item 1 from file: 35)

DIALOG(R)File 35:Dissertation Abs Online

(c) 2004 ProQuest Info&Learning. All rts. reserv.

757366 ORDER NO: AAD81-20428

**A MONTE CARLO STUDY OF FACTOR MATCHING IN PRESTRUCTURED AND RANDOM DATA**

Author: GERWECK, SUSAN E. FROGATE  
Degree: PH.D.  
Year: 1981  
Corporate Source/Institution: THE PENNSYLVANIA STATE UNIVERSITY (0176)  
Source: VOLUME 42/04-B OF DISSERTATION ABSTRACTS INTERNATIONAL.  
PAGE 1585. 197 PAGES

...and 2/5) and sample size (100, 300, and 1000) on the magnitude of factor- **matching indices** when factor **pattern** pairs were rotated to positions of mutual congruence. The factor patterns were all derived by...

...factors (the random data). In the real data case, six equivalent but distinctive factors were **created**. Three **indices** of factor similarity, the M **Index**, the similarity coefficient and the root mean square, were used as criteria of factor matching...

...varying experimental conditions.

The results of this study indicated that the magnitude of factor-matching **indices** increased as the factor/variable ratio became larger in both the real and random data, although the effect was more substantial in the random data. In the real **data**, increases in sample **size** did not result in substantial increases in the magnitude of factor-matching **indices**. The results obtained with the most interpretable **index**, the similarity coefficient, indicated that factor matching was excellent even for the lowest level of sample size (i.e., N = 100). In the random **data**, sample **size** yielded different effects for each of the three criteria of factor matching.

Five algorithms were...

...as the dependent variable, and the last-mentioned three were evaluated using both the M **Index** and the similarity coefficient. The three algorithms tested with the M **Index** performed well. Additionally, the Nesselrode and pattern-specific algorithms performed well when the the similarity...

...size does not appear to be an important determinant of the magnitude of factor-matching **indices**, if factor matching exists in the population, as long as it is "reasonably" nonetheless, the...  
?

30/3,K/1 (Item 1 from file: 233)

DIALOG(R)File 233:Internet & Personal Comp. Abs.

(c) 2003 EBSCO Pub. All rts. reserv.

00217153 90PK05-324

**File-transfer packages** Ease of use and performance distinguish these four file-transfer packages; file-management capabilities set them apart from other...

Schuyler, Chet; Tracy, Martha; Chandler, Derry  
PC WEEK , May 28, 1990 , v7 n21 p72-73, 76-78, 5 Pages  
ISSN: 0740-1604

... 0 from Datastorm Technologies Inc. of Columbia, MO (314), Brooklyn Bridge 3.0 from Fifth Generation Systems Inc. of Baton Rouge, LA (504), FastLynx 1.0 from Rupp Corp. of New...

... comments from different corporate users on each product. Sidebar discusses the importance of a null- **modem cable** in PC-to-PC serial connections. Includes two **tables** and a bar chart. (PAM)

30/3,K/2 (Item 2 from file: 233)

DIALOG(R)File 233:Internet & Personal Comp. Abs.

(c) 2003 EBSCO Pub. All rts. reserv.

00186448 89PI02-143

**File transfers fast and easy** Moving files between machines that lack a common disk format can present a formidable challenge. ZCOPY provides the answer with ...

Flanders, Bob  
PC Magazine , February 28, 1989 , v8 n4 p251-282, 21 Pages  
ISSN: 0888-8507

... that it does not allow files to be renamed in transfer and it does not **create** subdirectories on the destination disk. Describes construction of a null- **modem cable** to allow transfer without a modem. Includes instructions for transferring ZCOPY through a null- **modem cable** . Presents representations of the algorithms used by ZCOPY to establish data transfer speed, block transfer...

... of ZCOPY.ASM in assembly language and instructions for obtaining ZCOPY by modem. Includes six **tables** and a program listing. (djd)  
?



**37/3,K/1 (Item 1 from file: 99)**

DIALOG(R)File 99:Wilson Appl. Sci & Tech Abs  
(c) 2004 The HW Wilson Co. All rts. reserv.

2062564 H.W. WILSON RECORD NUMBER: BAST00012725

**Single chip tuner rids cable modems of bulky tin-can boxes**

AUGMENTED TITLE: the InfoSurge CN2811 from **Conexant** Systems Inc.  
Mannion, Patrick;

Electronic Design v. 48 nol (Jan. 10 2000) p. 38

DOCUMENT TYPE: Product Evaluation ISSN: 0013-4872

AUGMENTED TITLE: the InfoSurge CN2811 from **Conexant** Systems Inc.

ABSTRACT: **Conexant** Systems of Newport Beach, California, has introduced the first single-chip, all-silicon, **cable - modem** tuner. The InfoSurge CN2811 accepts RF signals ranging from 44-870 MHz and converts them...

**37/3,K/2 (Item 2 from file: 99)**

DIALOG(R)File 99:Wilson Appl. Sci & Tech Abs  
(c) 2004 The HW Wilson Co. All rts. reserv.

2014514 H.W. WILSON RECORD NUMBER: BAST00005744

**Digital tuners don't get canned**

Cravotta, Nicholas;

EDN v. 45 nol (Jan. 6 2000) p. 30

DOCUMENT TYPE: Feature Article ISSN: 0012-7515

...ABSTRACT: analog RF television tuner in CMOS that is aimed at the market for consumer devices. **Conexant** 's new single-chip InfoSurge CN2811, which retails from \$40, is a digital-cable tuner...

...modems and set-top boxes. The device is sold with the CN9414 single-chip programmable **cable modem0**.

**37/3,K/3 (Item 1 from file: 583)**

DIALOG(R)File 583:Gale Group Globalbase(TM)  
(c) 2002 The Gale Group. All rts. reserv.

09428151

**Conexant** to focus on broadband delivery in India

INDIA: **CONEXANT** IN TALKS WITH CABLE OPERATORS  
The Economic Times (YZY) 17 Dec 2000 online  
Language: ENGLISH

**Conexant** to focus on broadband delivery in India

INDIA: **CONEXANT** IN TALKS WITH CABLE OPERATORS

US' semiconductor concern with ventures in digital terrestrial applications and digital satellite receivers, **Conexant** Systems is engaged in negotiations with cable operators in India. The talks centre upon the plan for **cable modem** and PC <personal computer> oriented products in India. This is in line with the American firm's thrust in the DTH <direct-to-home> transmission, **cable modem** and broadband delivery segments in India. With an estimated price tag of US\$ 90 per...

... lead the way for integration into the set-top box, link up between computer and **cable modem**, communication via coaxial **cable** as well as terrestrial and satellite reception.

COMPANY: CONEXANT SYSTEMS

37/3,K/4 (Item 2 from file: 583)

DIALOG(R)File 583:Gale Group Globalbase(TM)  
(c) 2002 The Gale Group. All rts. reserv.

09066590

Conexant to unveil modem chip

US: CONEXANT UNVEILS ITS MODEM CHIP  
Wall Street Journal Europe (WSJ) 01 Mar 1999 p.5  
Language: ENGLISH

Conexant to unveil modem chip

US: CONEXANT UNVEILS ITS MODEM CHIP

Conexant Systems is planning a chip that with all the electronics needed for a cable modem. This would offer cost reductions of 25% on internet access devices; its CN9414 InfoSurge product...

... functions that usually require multiple chips. Cable modems are 1000 times quicker than standard modems. Conexant hopes to surpass Broadcom, which currently has 80% of the cable modem market.

COMPANY: BROADCOM; CONEXANT SYSTEMS

37/3,K/5 (Item 1 from file: 483)

DIALOG(R)File 483:Newspaper Abs Daily  
(c) 2004 ProQuest Info&Learning. All rts. reserv.

05804778 SUPPLIER NUMBER: 46901799

Conexant to Detail Plans for Cable Modem ; Internet: Design guide is first time a chip maker has offered both hardware and software. Blueprint could one-up rival Broadcom.

Huffstutter, P J

Los Angeles Times, p 1

Dec 6, 1999

ISSN: 0458-3035 NEWSPAPER CODE: ANGE

; Newspaper article

LANGUAGE: English RECORD TYPE: ABSTRACT

Conexant to Detail Plans for Cable Modem ; Internet: Design guide is first time a chip maker has offered both hardware and software...

ABSTRACT: Newport Beach-based Conexant will unveil a how-to guide, known in the industry as a "reference design," for cable - modem manufacturers. It provides details about all of Conexant's silicon and software products needed for building the guts of one of these high-speed Internet devices. What Conexant has--and Broadcom, so far, doesn't have--is the software piece. Conexant's design incorporates all the network-management and protocol needed for the modem to do...

...memory, wrap a plastic box around it and go," said Scott Keller, product manager for Conexant's cable modem group. "Broadcom's design doesn't do that. You look at their reference design, and..."

37/3,K/6 (Item 2 from file: 483)

DIALOG(R)File 483:Newspaper Abs Daily

(c) 2004 ProQuest Info&Learning. All rts. reserv.

05434397

Conexant **Plans Multiple-Function** Cable - Modem **Chip**

Takahashi, Dean

Wall Street Journal, Sec B, p 6, col 3

Mar 1, 1999

ISSN: 0099-9660 NEWSPAPER CODE: WSJ

DOCUMENT TYPE: News; Newspaper

LANGUAGE: English RECORD TYPE: ABSTRACT

LENGTH: Medium (6-18 col inches)

Conexant **Plans Multiple-Function** Cable - Modem **Chip**

...ABSTRACT: forthcoming CN9414 InfoSurge product handles communications functions that typically require multiple chips. Besides hardware savings, **Conexant** said the chip can be upgraded with new software to adapt to changes in communication...

...product will leapfrog Broadcom, the Irvine, Calif., chip maker that has about 80% of the **cable modem** chip market. That position has helped Broadcom's stock to quintuple since it went public...

COMPANY INFORMATION:

**Conexant** Systems Inc

?

40/3,K/1 (Item 1 from file: 2)

DIALOG(R)File 2:INSPEC

(c) 2004 Institution of Electrical Engineers. All rts. reserv.

6168179 INSPEC Abstract Number: B1999-03-6120B-130

**Title: Error performance analysis of a concatenated coding scheme with 64/256-QAM trellis coded modulation for the north American cable modem standard**

Author(s): Rhee, D.; Zaragoza, R.H.M.

Author Affiliation: LSI Logic Corp., Milpitas, CA, USA

Conference Title: Proceedings. 1998 IEEE International Symposium on Information Theory (Cat. No.98CH36252) p.61

Publisher: IEEE, New York, NY, USA

Publication Date: 1998 Country of Publication: USA xxvii+484 pp.

ISBN: 0 7803 5000 6 Material Identity Number: XX-1998-02487

U.S. Copyright Clearance Center Code: 0 7803 5000 6/98/\$10.00

Conference Title: Proceedings 1998 IEEE International Symposium on Information Theory

Conference Sponsor: IEEE Inf. Theory Soc

Conference Date: 16-21 Aug. 1998 Conference Location: Cambridge, MA, USA

Language: English

Subfile: B

Copyright 1999, IEE

...**Title: a concatenated coding scheme with 64/256-QAM trellis coded modulation for the north American cable modem standard**

...**Abstract:** with ITU-T Recommendation J.83, Annex B (north American digital video transmission specifications for **multimedia cable network system** (MCNS)). The module is suitable as the inner stage for a concatenated decoding scheme. A...

...**Identifiers:** north American cable modem standard...

... **multimedia cable network system ;**

40/3,K/2 (Item 1 from file: 8)

DIALOG(R)File 8:Ei Compendex(R)

(c) 2004 Elsevier Eng. Info. Inc. All rts. reserv.

06112245 E.I. No: EIP02347055366

**Title: Delay characterization of the MCNS DOCSIS CATV protocol**

Author: Liu, Zhenglin; Xu, Chongyang

Corporate Source: Dept. of Electronic Sci. and Tech. Huazhong Univ. of Sci. and Technol., Wuhan 430074, China

Source: Chinese Journal of Electronics v 11 n 3 July 2002. p 391-395

Publication Year: 2002

CODEN: CHJEEW ISSN: 1022-4653

Language: English

**Abstract:** The **Multimedia** cable networks system (MNCS) Data over cable service interface specification (DOCSIS) is established as the...

**Descriptors:** Network protocols; Television networks; **Multimedia** systems ; Telecommunication cables; Specifications; Algorithms; Frequency allocation; Numerical methods; Modems; Communication channels (information theory); Data...

**Identifiers:** **Multimedia cable network system ;** Data over cable service interface specification; Headend scheduling algorithm; Minislot allocation method; Contention minislot; **Cable modem** termination system

40/3,K/3 (Item 1 from file: 99)

DIALOG(R)File 99:Wilson Appl. Sci & Tech Abs  
(c) 2004 The HW Wilson Co. All rts. reserv.

2188711 H.W. WILSON RECORD NUMBER: BAST00058308

**Upstream cable modem line driver targets tight DOCSIS specifications**

AUGMENTED TITLE: class-A programmable-gain amplifiers from Texas

Instruments

Bindra, Ashok;

Electronic Design v. 48 no17 (Aug. 21 2000) p. 62-6

DOCUMENT TYPE: Product Evaluation ISSN: 0013-4872

**Upstream cable modem line driver targets tight DOCSIS specifications**

...ABSTRACT: data-over-cable system interface specifications version 1.1, which was recently released by the **Multimedia Cable Network System** Partners. The advanced complementary bipolar process used to produce the device is described.

40/3,K/4 (Item 1 from file: 233)

DIALOG(R)File 233:Internet & Personal Comp. Abs.  
(c) 2003 EBSCO Pub. All rts. reserv.

00454142 97PK03-116

**MCNS untangles cable modem standards**

Surkan, Michael

PC WEEK , March 10, 1997 , v14 n10 p88-90, 2 Page(s)

ISSN: 0740-1604

**MCNS untangles cable modem standards**

Reports that the development of **cable modem** technology is being hampered by the lack of a single standard, which has led some manufacturers to develop proprietary standards that they may be reluctant to abandon. Says that **Multimedia Cable Network System** (MCNS), a consortium of cable service providers, is working on a promising standard that offers...

40/3,K/5 (Item 1 from file: 583)

DIALOG(R)File 583:Gale Group Globalbase(TM)  
(c) 2002 The Gale Group. All rts. reserv.

06575497

Cisco Announces First MCNS-Compliant Integrated Router and Cable Dat\

PHILIPPINES: NEW CISCO MCNS ROUTER/MODEM CARDS

Computerworld Philippines (AKA) 15 Jan 1998 P.18

Language: ENGLISH

The new Cisco uBR 7246 Universal Broadband Router and associated **Multimedia Cable Network System** (MCNS) **modem** cards have been launched by Cisco Systems in the Philippines. The router is based on...

... end Cisco 7200 router and is the industry's first MCNS-compliant integrated router and **cable modem** shelf. The Cisco uBR 7246 router offers over 600Mbps of bandwidth capacity and 100,000...

40/3,K/6 (Item 2 from file: 583)

DIALOG(R)File 583:Gale Group Globalbase(TM)  
(c) 2002 The Gale Group. All rts. reserv.

06571780

Cable-Ready Cisco

WORLD: NEW CABLE NETWORK PRODUCT FROM CISCO

Channel Asia (AHT) Jan 1998 P.10

Language: ENGLISH

The new uBR 7246 Universal Broadband Router and associated **Multimedia Cable Network System** (MCNS) **modem** cards have been launched by Cisco Systems Inc globally. The product is based on Cisco...  
?